

PRINCECASTLE™

2025/2026 Product Catalog



Making food easier... it's what we do.

PRINCECASTLE™

Since 1955, Prince Castle has been at the forefront of quick-service restaurant innovation, helping the world’s leading kitchens deliver great-tasting food with speed, safety, and consistency. Born during the rise of the quick-service industry, we’ve built our reputation by immersing ourselves in real-world kitchens, gaining first-hand insight into the daily challenges operators face. This deep understanding drives us to create high-quality, chef-tested equipment that’s as reliable and easy to use as it is innovative.

From slicing, holding, and toasting to smallwares solutions, every Prince Castle product is designed around the cornerstones of reliability, safety, ease of use, and connectivity. Our equipment empowers modern kitchens to expand menu variety, improve efficiency, reduce labor costs, and optimize space, all while harnessing the latest technology. At Prince Castle, we don’t just make equipment, we make solutions that help you serve excellence every day.



CONTENTS

SLICERS, CUTTERS & FOOD PREP	3
FRYING EQUIPMENT AND ACCESSORIES	9
DISPENSERS	12
GRILL TOOLS AND ACCESSORIES	14
ORGANIZATION	17
TIMERS	18
TOASTERS	22
HOLDING BINS	25
TERMS & CONDITIONS	31









Whether you're slicing, dicing, or chopping, Prince Castle helps you do it faster, smarter, and with consistent results every time. Our slicers and cutters are engineered to handle vegetables, fruits, and other food items with a single, smooth stroke, saving you time while maximizing efficiency.

Crafted from durable cast aluminum and equipped with razor-sharp stainless-steel blades, our tabletop prep equipment is built for long-lasting performance. Each unit is designed to prioritize operator safety while delivering consistent, perfectly portioned cuts with minimal effort.


Tomato Saber®

	Model No.	Description	Slice Size in (cm)	# Blades	Shipping Info	
					lb. (kg.)	cu.ft. (cu.m.)
	943-A	3/16" (.48cm) Tomato Saber	3/16 (.48)	12	14.00 (6.40)	.90 (.03)
	943-B	1/4" (.64 cm) Tomato Saber	1/4 (.64)	9	14.00 (6.40)	.90 (.03)
	943-BK	1/4" (.64 cm) Tomato Saber - High Yield (11 Blades)	1/4 (.64)	11	14.00 (6.40)	.90 (.03)
	943-C	3/8" (.95 cm) Tomato Saber	3/8 (.95)	6	14.00 (6.40)	.90 (.03)
	943-D	7/32" (.55 cm) Tomato Saber	7/32 (.55)	10	14.00 (6.40)	.90 (.03)
	943-DH	7/32" (.55cm) Tomato Saber - High Yield (11 Blades)	7/32 (.55)	10	14.00 (6.40)	.90 (.03)
	943-038A	Perma-Tight Blade Cartridge for 943-A 3/16" (.48cm)	3/16 (.48)	12	1.00 (.50)	.04 (.01)
	943-039A	Perma-Tight Blade Cartridge for 943-B 1/4" (.64cm)	1/4 (.64)	9	1.00 (.50)	.04 (.01)
	943-039AH	Perma-Tight Blade Cartridge for 943-BK 1/4" (.64cm)	1/4 (.64)	11	1.00 (.50)	.04 (.01)
	943-040A	Perma-Tight Blade Cartridge for 943-C 3/8" (.95cm)	3/8 (.95)	6	1.00 (.50)	.04 (.01)
	943-041A	Perma-Tight Blade Cartridge for 943-D and -DH 7/32" (.55cm)	7/32 (.55)	10	1.00 (.50)	.04 (.01)
	950-1	Bulk Pack Tomato Core-it (144/box, uncarded)	-	-	4.00 (1.80)	.02 (.01)
	953	Single Tomato Core-It (card/bubble pack)	-	-	1.00 (.50)	.02 (.01)
	943-042	Red/Green Cleaning Brush	-	-	0.50 (.23)	.06 (.01)

Saber King®







	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	980-000-00	Saber King® Chassis and Brush	30 (13.61)	7.64 (.22)
	980-000-10A	3/16" Tomato Blade & Pusher Set (4 Tomatoes)	14 (6.35)	1.56 (.04)
	980-000-10B	3/16" Tomato Blade Replacement (4 Tomatoes)	8 (3.63)	.78 (.02)
	980-000-10C	3/16" Tomato Pusher Head Replacement (4 Tomatoes)	6 (2.72)	.78 (.02)
	980-000-12A	1/4" Tomato Blade & Pusher Set (4 Tomatoes)	14 (6.35)	1.56 (.04)
	980-000-12B	1/4" Tomato Blade Replacement (4 Tomatoes)	8 (3.63)	.78 (.02)
	980-000-12C	1/4" Tomato Pusher Head Replacement (4 Tomatoes)	6 (2.72)	.78 (.02)
	980-000-20A	3/16" Onion Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-20B	3/16" Onion Blade Replacement	8 (3.63)	.78 (.02)
	980-000-20C	3/16" Onion Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-22A	1/4" Onion Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-22B	1/4" Onion Blade Replacement	8 (3.63)	.78 (.02)
	980-000-22C	1/4" Onion Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-32A	1" x 1" Lettuce Chop Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-32B	1" x 1" Lettuce Chop Blade Replacement	8 (3.63)	.78 (.02)
	980-000-32C	1" x 1" Lettuce Chop Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-33A	1" x 2" Lettuce Chop Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-33B	1" x 2" Lettuce Chop Blade Replacement	8 (3.63)	.78 (.02)
	980-000-33C	1" x 2" Lettuce Chop Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-34A	1" X 7" Lettuce Chop Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-34B	1" X 7" Lettuce Chop Blade Replacement	8 (3.63)	.78 (.02)
	980-000-34C	1" X 7" Lettuce Chop Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-44A	5/16" Lettuce Shredder Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-44B	5/16" Lettuce Shredder Blade Replacement	8 (3.63)	.78 (.02)
	980-000-44C	5/16" Lettuce Shredder Pusher Head Replacement	6 (2.72)	.78 (.02)

Saber King® continued

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	980-000-50A	1/4" Dicer Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-50B	1/4" Dicer Blade Replacement	8 (3.63)	.78 (.02)
	980-000-50C	1/4" Dicer Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-51A	3/8" Dicer Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-51B	3/8" Dicer Blade Replacement	8 (3.63)	.78 (.02)
	980-000-51C	3/8" Dicer Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-52A	1/2" Dicer Blade & Pusher Set	14 (6.35)	1.56 (.04)
	980-000-52B	1/2" Dicer Blade Replacement	8 (3.63)	.78 (.02)
	980-000-52C	1/2" Dicer Pusher Head Replacement	6 (2.72)	.78 (.02)
	980-000-60A	Wedger Blade & Pusher Set (4 Section)	14 (6.35)	1.56 (.04)
	980-000-60B	Wedger Blade Replacement (4 Section)	8 (3.63)	.78 (.02)
	980-000-60C	Wedger Pusher Head Replacement (4 Section)	6 (2.72)	.78 (.02)
	980-000-61A	Wedger Blade & Pusher Set (6 Section)	14 (6.35)	1.56 (.04)
	980-000-61B	Wedger Blade Replacement (6 Section)	8 (3.63)	.78 (.02)
	980-000-61C	Wedger Pusher Head Replacement (6 Section)	6 (2.72)	.78 (.02)
	980-000-62A	Wedger Blade & Pusher Set (8 Section)	14 (6.35)	1.56 (.04)
	980-000-62B	Wedger Blade Replacement (8 Section)	8 (3.63)	.78 (.02)
	980-000-62C*	Wedger Pusher Head Replacement (8 Section)	6 (2.72)	.78 (.02)
	980-000-65A	Wedger Blade & Pusher Set (Halfer)	9 (4.08)	.78 (.02)
	980-000-65B	Wedger Blade Replacement (Halfer)	3 (1.36)	.78 (.02)
	980-000-01	Saber King® 2-Tier Wire Storage Rack	2.2 (1.0)	.50 (.01)


* = Use 980-000-62C to replace the pusher when needed for the Wedger (Halfer) blade set #980-000-65A

Saber King® Mini

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	981-000-00	Saber King Mini Chassis and Brush	21 (10.0)	5.35 (.15)
	981-000-10A	3/16" Tomato Blade & Pusher Set (2 Tomatoes)	8 (3.63)	.99 (.02)
	981-000-10B	3/16" Tomato Blade Replacement (2 Tomatoes)	5 (2.27)	.66 (.02)
	981-000-10C	3/16" Tomato Pusher Head Replacement (2 Tomatoes)	3 (1.36)	.66 (.02)
	981-000-12A	1/4" Tomato Blade & Pusher Set (2 Tomatoes)	8 (3.63)	.99 (.02)
	981-000-12B	1/4" Tomato Blade Replacement (2 Tomatoes)	5 (2.27)	.66 (.02)
	981-000-12C	1/4" Tomato Pusher Head Replacement (2 Tomatoes)	3 (1.36)	.66 (.02)
	981-000-20A	3/16" Onion Blade & Pusher Set	11 (5.0)	.66 (.02)
	981-000-20B	3/16" Onion Blade Replacement	7.5 (3.4)	.66 (.02)
	981-000-20C	3/16" Onion Pusher Head Replacement	3.5 (1.5)	.66 (.02)
	981-000-50A	1/4" Dicer Blade & Pusher Set	9.5 (4.31)	.66 (.02)
	981-000-50B	1/4" Dicer Blade Replacement	5.5 (2.49)	.66 (.02)
	981-000-50C	1/4" Dicer Pusher Head Replacement	3.5 (1.5)	.66 (.02)
	981-000-51A	3/8" Dicer Blade & Pusher Set	9.5 (4.31)	.66 (.02)
	981-000-51B	3/8" Dicer Blade Replacement	5.5 (2.49)	.66 (.02)
	981-000-51C	3/8" Dicer Pusher Head Replacement	3.5 (1.5)	.66 (.02)
	981-000-52A	1/2" Dicer Blade & Pusher Set	10 (4.54)	.66 (.02)
	981-000-52B	1/2" Dicer Blade Replacement	6 (2.72)	.66 (.02)
	981-000-52C	1/2" Dicer Pusher Head Replacement	4 (1.80)	.66 (.02)
	981-000-60A	Wedger Blade & Pusher Set (4 Section)	8 (3.63)	.66 (.02)
	981-000-60B	Wedger Blade Replacement (4 Section)	5 (2.27)	.66 (.02)
	981-000-60C	Wedger Pusher Head Replacement (4 Section)	3 (1.36)	.66 (.02)
	981-000-61A	Wedger Blade & Pusher Set (6 Section)	8 (3.63)	.66 (.02)
	981-000-61B	Wedger Blade Replacement (6 Section)	5 (2.27)	.66 (.02)
	981-000-61C	Wedger Pusher Head Replacement (6 Section)	3 (1.36)	.66 (.02)
	981-000-62A	Wedger Blade & Pusher Set (8 Section)	8 (3.63)	.66 (.02)
	981-000-62B	Wedger Blade Replacement (8 Section)	5 (2.27)	.66 (.02)
	981-000-62C	Wedger Pusher Head Replacement (8 Section)	3 (1.36)	.66 (.02)
	981-000-65A	Wedger Blade & Pusher Set (Halfer)	3 (1.36)	.66 (.02)
	981-000-65B	Wedger Blade Replacement (Halfer)	3 (1.36)	.66 (.02)
	981-000-01	Saber King® Mini 2-Tier Blade Storage Rack	2.2 (1.0)	.50 (.01)

Note: All Model Numbers listed as "Set" include a Replacement Blade and PusherHead for the Saber King® Mini



Saber Cleaning

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	980-000-02	Saber King® Cleaning Kit - White Brush/Double Pick	2.2 (1.0)	.5 (.01)
	980-000-03	SBK Cleaning Tool Kit - Red Green Brush/Single Pick	2.2 (1.0)	.50 (.01)
	980-000-04	SBK Cleaning Tool Kit - White Brush/Single Pick	2.2 (1.0)	.50 (.01)
	980-000-05	SBK Cleaning Brush Round Green	2.2 (1.0)	.50 (.01)
	980-000-06	SBK Cleaning Brush Round Yellow	2.2 (1.0)	.50 (.01)
	980-000-07	Saber King® Onion Pusher Cleaning Tool Kit	2.2 (1.0)	.50 (.01)
	980-043A	Saber King® White Brush	.5 (0.23)	.08 (.01)
	980-250A	Saber Pusher Cleaning Tool - Single Pick	.5 (0.23)	.04 (.01)

Citrus Saber®



	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	CW-1	Citrus Saber® - Black (8 section wedger)	3.00 (1.36)	.03 (.01)
	CW-6	Citrus Saber®- Yellow (8 section wedger)	3.00 (1.36)	.03 (.01)
	908-A6	Wedge Witch (6 section)	7.40 (3.36)	.89 (.03)
	908-A8	Wedge Witch (8 section)	7.40 (3.36)	.89 (.03)
	908-70	Replacement Blade Set for Wedge Witch (6 section) for 908-A6	.30 (.14)	.05 (.01)
	925-059s	Replacement Blade Set for Citrus Saber® & Wedge Witch (8 section) for CW1, CW6, and 908-A8	1.00 (.05)	.05 (.01)

Kutlett*

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	SKK2	Kutlett*	25.00 (11.00)	4.90 (.14)
	25506P	Assy Knife Upper 1" (2.54 cm) Cut Parts	3.30 (1.50)	.10 (.01)
	25507P	Assy Knife Lower 1" (2.54 cm) Cut Parts	3.30 (1.50)	.10 (.01)

* While Supplies Last. Replaced by Saber King (Page 4)


Dice Witch

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	910-A	Dice Witch 3/8" (.953cm) square cut	8.00 (3.60)	.80 (.02)
	910-50	Blade Set for 910-A	1.00 (.50)	.01 (.01)

Bagel Saber®

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu. m)
	970-A	Bagel Saber®	7.00 (3.18)	.66 (.02)
	970-034	Replacement Blade Set for 970-A (Set of 2)	1.00 (.50)	.01 (.01)
	970-097	Bagel Tray for 970-A	1.42 (.64)	.14 (.01)

Baking Accessories








	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	228-57	Rolling Pin 1/2In	3.00 (1.36)	.23 (.01)



Prince Castle fry baskets are built to stand up to the rigorous demands of high-volume kitchens, with durable nickel-plated wire mesh that ensures even frying and better-tasting results. Reinforced handles, available with heat-resistant plastisol coating, offer safe, comfortable handling. All baskets are NSF certified for top-tier safety and sanitation.








Our fry scoops are lightweight, heat-resistant, and built to last and are available in a variety of configurations to suit any kitchen setup. Designed for fast, one-handed portioning, they help streamline service without sacrificing durability.

Specialty Baskets

	Model No.	Description	Handle Type	Handle Color	Length	Width	Height	Hook Type	Shipping Info		Case Pack
									lb. (kg.)	cu.ft. (cu.m.)	
	556PC	Hash Brown Fry Basket	Plastisol	Black	11.75	3.50	4.50	F	2.30 (1.04)	.11 (.01)	6
	320PEC	Chicken Nugget Fry Basket	Plastisol	Black	13.23	4.88	4.25	F	3.00 (1.36)	.23 (.01)	4
	254PBC	Fish Filet Fry Basket	Plastisol	Black	13.50	2.38	4.50	F	2.00 (0.91)	.08 (.01)	12
	258PBC	Chicken Patty Fry Basket	Metal	Black	13.50	2.25	4.38	F	1.90 (0.86)	.08 (.01)	12
	706	7-Position Pie Fry Basket	Metal	-	11.40	3.75	5.00	F	17.0 (7.9)	2.08 (.06)	8
	AW-393-TC	Pie Fry Basket - Teflon Coated	Metal	-	13.38	3.75	4.88	F	17.0 (7.9)	0.14 (.01)	8
	AW-917C	Chicken Nugget/ Fried Food Transfer Basket	Metal	-	18.06	9.00	1.75	N/A	2.60 (1.18)	.16 (.01)	10







*Note: Items must be ordered in Case Packs where noted.

Fry Baskets with Plastisol Handles

	Model No.	Description	Handle Type	Handle Color	Length	Width	Height	Hook Type	Shipping Info		Case Pack
									lb. (kg.)	cu.ft. (cu.m.)	
	78-P	Short Fry Basket	Plastisol	Green	12.13	6.31	5.31	F	16.0 (7.4)	2.56 (.07)	5
	676-14P	Standard Fry Basket	Plastisol	Black	13.25	4.25	5.50	F	14.0 (6.5)	1.68 (.05)	5
	211PC	Standard Fry Basket	Plastisol	Black	13.25	5.50	5.63	F	2.80 (1.27)	.23 (.01)	5
	460C	Standard Fry Basket - RAM System	Plastisol	Red	13.25	5.50	5.63	F	3.30 (1.50)	.23 (.01)	5
	77-P	Standard Fry Basket	Plastisol	Green	13.25	5.63	5.69	F	16.0 (7.4)	2.45 (.07)	5
	678-P	Standard Fry Basket	Plastisol	Green	13.25	6.50	5.81	F	17.0 (7.7)	2.69 (.08)	5
	79-P	Extra-Large Fry Basket	Plastisol	Green	16.75	8.75	6.00	F	21.0 (9.7)	3.34 (.09)	5



*Note: Items must be ordered in Case Packs where noted.

Standard Fry Baskets


	Model No.	Description	Handle Type	Handle Color	Length	Width	Height	Hook Type	Shipping Info		Case Pack
									lb. (kg.)	cu.ft. (cu.m.)	
	78	Short Fry Basket	Metal	-	12.13	6.31	5.31	F	15.0 (7.1)	2.41 (.07)	5
	77	Standard Fry Basket	Metal	-	13.25	5.63	5.69	F	16.0 (7.4)	2.45 (.07)	5
	678	Standard Fry Basket	Metal	-	13.25	6.50	5.81	F	17.0 (7.8)	2.69 (.08)	5
	676-4	Extra-Large/Deep Fry Basket	Metal	-	16.75	17.50	6.00	F	29.0 (13.2)	6.17 (.017)	4
	676-7	Extra-Large/Narrow Fry Basket	Metal	-	17.13	5.75	6.13	F	18.0 (8.3)	2.14 (.06)	5
	676-3	Extra-Large Fry Basket	Metal	-	17.25	8.50	6.00	F	22.0 (10.0)	3.34 (.09)	5

*Note: Items must be ordered in Case Packs where noted.

French Fry Bagging Scoops

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	152-ADH	Bagging Scoop - Dual Handle	1.00 (.50)	.20 (.01)
	152-ALN	Bagging Scoop - Left Handle	1.00 (.50)	.20 (.01)
	152-ARN	Bagging Scoop Aluminum - Right Handle	1.00 (.50)	.20 (.01)
	252-RH	Bagging Scoop Nylon - Right Handle	1.00 (.50)	.20 (.01)
	252-DH	Bagging Scoop Nylon - Dual Handle	1.00 (.50)	.20 (.01)
	252-OT	Bagging Scoop - Right Handle (Designed for use with 1/3 size pans)	1.00 (.50)	.20 (.01)

Fryer Accessories

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m.)
	257-A	Fryer Cleaning Tool, Wire Form	3.30 (1.50)	.38 (.01)









Prince Castle dispensers are the ultimate solution for portion control in any foodservice operation. Ergonomically designed for ease of use, they deliver consistent servings every time, with the flexibility to adjust serving sizes as needed.

Engineered for efficiency, these dispensers are easy to operate, quick to clean, and built to save you both time and money. With Prince Castle, portion control has never been more reliable or more effortless.


Heavy Sauce Dispensers (Mayonnaise, Tartar Sauce, Guacamole, Sour Cream)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	580-NMCC	Sauce Dispenser 0.33 oz. (9.44 g.) Red, without bottles	3.00 (1.4)	.20 (.01)
	581-NMCC	Sauce Dispenser 0.50 oz. (14.77 g.) White, without bottles	3.00 (1.4)	.20 (.01)
	582-NMCC	Sauce Dispenser 0.66 oz. (18.88 g.) Black, without bottles	3.00 (1.4)	.20 (.01)
	583-NMCC	Sauce Dispenser 1 oz. (23.34 g.) Green, without bottles	3.00 (1.4)	.20 (.01)
	584-NMCC	Sauce Dispenser 0.6 oz. (17g.), White, without bottles	3.00 (1.4)	.20 (.01)
	589-NMCC	Sauce Dispenser 0.25 oz. (7.09 g.), Yellow, without bottles	3.00 (1.4)	.20 (.01)
	591-NMCC	Sauce Dispenser .48 oz. (13.61 g.), Blue, without bottles	3.00 (1.4)	.20 (.01)
	136-1	Dispenser Bottles (case of 9) - Reusable	2.00 (.91)	.50 (.01)
	155	Bottle Storage Tray	1.00 (.50)	.70 (.02)

Narrow Sauce Dispensers

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	398-CN	Mustard Dispenser (.02oz)	2.00 (.91)	.38 (.01)
	406-AN	Ketchup Dispenser (.33/ .50oz)	1.50 (.68)	.43 (.01)
	404-TSN	Ketchup Dispenser (.46/ .50/ .54/ .58/ .63oz)	3.00 (1.40)	0.29 (.01)
	407-LM	Liquid Margarine Dispenser (.08oz)	2.20 (1.00)	0.24 (.01)
	417-ANP	Dual Holder - Narrow Sauce Dispensers	2.00 (.91)	.31 (.01)
	417-BNP	Single Holder - Narrow Sauce Dispensers	1.50 (.68)	.16 (.01)

Dispenser Accessories

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu. m.)
	404-26	Pouch-Mate Pouch-Pack Emptying Tool (*2-Pack)	1.00 (.05)	.08 (.01)

*Denotes number of pieces per single unit.



Cook-to-order has never been easier thanks to Prince Castle's complete line of high-performance grill tools and accessories. Designed for durability and efficiency, our products help reduce cleanup time, streamline operations, and deliver labor-saving benefits across a wide range of foodservice applications.

Grill Maintenance Tools - Scrapers




	Model No.	Description	Shipping Info		Case Pack
			lb. (kg.)	cu.ft. (cu.m)	
	161	14" Grill Scraper	12.70 (5.76)	1.06 (.03)	12
	161-1HD	Heavy Duty Replacement Blade for 161 - Resharpenable	2.80 (1.27)	.03 (.01)	25
	161-6DP	Disposable Blade for 161 (6-pack*)	1.00 (.50)	.02 (.01)	1
	173	10" Grill Scraper - Mini	7.70 (3.49)	1.09 (.03)	12
	173-1	Replacement Blades for 173 (6-pack*)	1.00 (.50)	.01 (.01)	1
	513-G	17" Low Profile Grill Scraper W/Guard	2.00 (.90)	.23 (.01)	1
	514-6A	Reversible replacement blades for 513-G (6-pack*)	1.00 (.50)	.01 (.01)	1
	613-A	20.5" Ergonomic Grill Scraper - Beveled edge	4.00 (1.80)	.44 (.01)	1
	613-030-6A	Replacement Blades for 613 (6-pack*)	1.00 (.50)	.01 (.01)	1
	613-C	20.5" Ergonomic Grill Scraper - Square edge	4.00 (1.80)	.44 (.01)	1
	613-030-6C	Reversible replacement blades for the 613-C (6-pack*)	1.00 (.50)	.01 (.01)	1
	161-SW3	14.75" Grill Scraper & Wiper	2.90 (1.32)	.71 (.02)	1
	161-072S	Replacement Scraper Blade for 161-SW3 (2-pack*)	.44 (.20)	.02 (.01)	1

*Denotes number of pieces per single unit.
 Note: Items must be ordered in Case Packs where noted.

Grill Accessories - Egg Rings


	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	123	Scrambled Egg Ring 10 in Round	3.00 (1.36)	.41 (.01)
	127	Scrambled/Omelet Ring 8 in Round	3.00 (1.36)	.26 (.01)
	122-032	4 Pak Egg Ring 3.75" (In-Line)	3.25 (1.47)	.38 (.01)
	122-043Y	6-Pak Egg Ring 3.75" w/Cover	12.0 (5.44)	.74 (.02)
	234-2	Replacement Egg Ring, 3-3/4" (Coated)	.50 (.23)	.01 (.01)
	242-IH	Hash Brown Ring (6 Section)	2.00 (.91)	.49 (.01)
	804-S2	2-Pocket Egg Scrambler	3.00 (1.36)	.14 (.01)
	804-S4	4-Pocket Egg Scrambler	6.00 (2.72)	.26 (.01)

Grill Accessories - Rollers and Spreaders

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	685-100	Oil Roller Kit**	1.00 (.45)	.18 (.01)
	685-005	Replacement Oil Rollers for 685-100 (*5 pack)	1.00 (.45)	.09 (.01)
	50	Dress-Up Butter Spreader	2.00 (.91)	.19 (.01)

*Denotes number of pieces per single unit. **Replacement Roller kit handle available part #: 685-003





Grill Tool Sharpener

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	164-B	Grill Tool Sharpener for 161-1HD Resharpenable Blades	12.60 (5.72)	.29 (.01)

Toasting Accessories




	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	224-4	Bun Spatula	3.80 (1.72)	.46 (.01)
	224-5	Bun Tray	3.80 (1.72)	.46 (.01)

Grill Maintenance Tools - Char Brushes

	Model No.	Description	Shipping Info		Case Pack
			lb. (kg.)	cu.ft. (cu.m)	
	CC	Char-Brush - Coarse	10.00 (4.54)	.96 (.03)	6
	CM	Char-Brush - Medium	10.00 (4.54)	.96 (.03)	6
	CC-1	Replacement Brush - Coarse	10.00 (4.54)	.34 (.01)	12
	CM-1	Replacement Brush - Medium	9.00 (4.08)	.29 (.01)	12






Note: Items must be ordered in Case Packs where noted.

Grill Maintenance Tools - Polishers and Wipers

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	167-1	Kleen-Screen Replacement Screens (*12-pack)	1.00 (.50)	.03 (.01)
	233-86	Replacement Wiper Strips for 233-714A & 161-SW3 (*4-pack)	1.00 (.50)	.04 (.01)
	233-71A	Grill Wiper	2.00 (.91)	.08 (.01)

*Denotes number of pieces per single unit.

Meat Presses/Forms/Sear Tools

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	233-57A	Meat Press 6" X 23"	5.00 (2.27)	.30 (.01)
	370-A	Meat Press 6" X 12"	3.00 (1.36)	.25 (.01)
	233-AB	Meat Form 5" X 6" X 1/2"	1.05 (.48)	.07 (.01)
	233-AB2	Meat Form 6" X 6" X 3/8"	1.25 (.57)	.17 (.01)
	362-6	Sear Tool	1.60 (.73)	.18 (.01)

Organizers

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	24-S	Tuck-A-Note, 24" (61.0 cm) Silver	2.00 (.90)	.05 (.01)
	36-S	Tuck-A-Note, 36" (91.4 cm) Silver	3.00 (1.40)	.08 (.01)
	48-S	Tuck-A-Note, 48" (121.9 cm) Silver	3.00 (1.40)	.11 (.01)
	918-B	Mop & Broom Station 18 in (45.7 cm)	2.00 (.90)	.13 (.01)
	936-B	Mop & Broom Station 36 in (91.44 cm)	2.50 (1.13)	.04 (.01)



Prince Castle Timers: Durable Precision for Every Task

Prince Castle’s robust family of single-function, multi-function, and multi-display timers delivers reliable, high-performance solutions for a wide range of kitchen operations, from frying, grilling, and baking to coffee preparation and even employee handwashing. Built to last, our timers excel in fast-paced, rugged kitchen environments, and ensure consistent execution, improved operational control, and long-lasting durability shift after shift.


Now, with the introduction of our NEW PCT timers, we’re taking convenience and efficiency even further. Designed with operators in mind, these advanced timers feature intuitive software for easy setup and programming within minutes. They retain the trusted reliability of previous models while adding modern conveniences such as a removable power cord, making replacements quick and cost-effective without the need to replace the entire unit.

With Prince Castle timers, you get unmatched precision, streamlined functionality, and rugged performance all in one dependable solution.

PCT Single Function (All channels share one display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	PCT02-GMK01	2-Channel Single Function Timer, 120V, North America	4.00 (1.81)	.31 (.01)
	PCT02-GMK60	2-Channel Single Function Timer, 240V, Europe	4.00 (1.81)	.31 (.01)
	PCT02-GMK78	2-Channel Single Function Timer, 230V, United Kingdom	4.00 (1.81)	.31 (.01)
	PCT02-HWT01	2-Channel Hand Wash Timer,120V, North America	4.00 (1.81)	.31 (.01)
	PCT02-HWT60	2-Channel Hand Wash Timer,240V, Europe	4.00 (1.81)	.31 (.01)
	PCT02-HWT78	2-Channel Hand Wash Timer, 230V, United Kingdom	4.00 (1.81)	.31 (.01)




PCT Single/ Multi-Function (All channels share one display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	PCT04-GMK01	4-Channel Single/Multi-Function Timer, 120V, North America	4.00 (1.81)	.31 (.01)
	PCT04-GMK60	4-Channel Single/Multi-Function Timer, 240V, Europe	4.00 (1.81)	.31 (.01)
	PCT04-GMK78	4-Channel Single/Multi-Function Timer, 230V, United Kingdom	4.00 (1.81)	.31 (.01)
	PCT08-GMK01	8-Channel Single/Multi-Function Timer, 120V, North America	4.25 (1.93)	.44 (.01)
	PCT08-GMK60	8-Channel Single/Multi-Function Timer, 240V, Europe	4.25 (1.93)	.44 (.01)
	PCT08-GMK78	8-Channel Single/Multi-Function Timer, 230V, United Kingdom	4.25 (1.93)	.44 (.01)
	PCT12-GMK01	12-Channel Single/Multi-Function Timer, 120V, North America	4.75 (2.15)	.47 (.01)
	PCT12-GMK60	12-Channel Single/Multi-Function Timer, 240V, Europe	4.75 (2.15)	.47 (.01)
	PCT12-GMK78	12-Channel Single/Multi-Function Timer, 230V, United Kingdom	4.75 (2.15)	.47 (.01)



Software setup lets you program your timer in minutes (Multi-function and Multi-Display Models Only).

PCT Multi-Display/ Single/ Multi-Function (Each channel has its own display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	PCT04V-GMK01	4-Channel Vertical Multi-Display/Single/ Multi-Function Timer, 120V, North America	4.00 (1.81)	.31 (.01)
	PCT04V-GMK60	4-Channel Vertical Multi-Display/Single/Multi-Function Timer, 240V, Europe	4.00 (1.81)	.31 (.01)
	PCT04V-GMK78	4-Channel Vertical Multi-Display/Single/Multi-Function Timer, 230V, United Kingdom	4.00 (1.81)	.31 (.01)
	PCT08V-GMK01	8-Channel Vertical Multi-Display/Single/ Multi-Function Timer, 120V, North America	4.25 (1.93)	.44 (.01)
	PCT08V-GMK60	8-Channel Vertical Multi-Display/Single/Multi-Function Timer, 240V, Europe	4.25 (1.93)	.44 (.01)
	PCT08V-GMK78	8-Channel Vertical Multi-Display/Single/Multi-Function Timer, 230V, United Kingdom	4.25 (1.93)	.44 (.01)
	PCT16-GMK01	16-Channel Multi-Display/Single/Multi-Function Timer, 120V, North America	9.00 (4.08)	.81 (.02)
	PCT16-GMK60	16-Channel Multi-Display/Single/Multi-Function Timer, 240V, Europe	9.00 (4.08)	.81 (.02)
	PCT16-GMK78	16-Channel Multi-Display/Single/Multi-Function Timer, 230V, United Kingdom	9.00 (4.08)	.81 (.02)



Software setup lets you program your timer in minutes (Multi-function and Multi-Display Models Only).






740 / 741 Series Single-Function Timers* (All channels share one display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	740-T2	2-Channel Single-Function timer, 120V, North America Version	2.60 (1.18)	.30 (.01)
	740-T2HW	2-Channel Single-Function timer, Handwashing, 2 Channel, 120V, North America Version	2.60 (1.18)	.30 (.01)
	740-T4	4-Channel Single-Function Timer, 120V, North America Version	2.70 (1.18)	.30 (.01)
	740-T8	8-Channel Single-Function Timer, 120V, North America Version	3.00 (1.36)	.30 (.01)
	740-T12	12-Channel Single-Function Timer, 120V, North America Version	3.30 (1.50)	.32 (.01)
	741-T4	4-Channel Single-Function Timer, 100-240V, 50-60 Hz, North America	4.00 (1.80)	.30 (.01)
	741-T4CE	4-Channel Single-Function Timer, 100-240V, 50-60 Hz, Worldwide Version	4.00 (1.80)	.30 (.01)
	741-T12	12-Channel Single-Function Timer, 100-240V, 50-60 Hz, North America	5.00 (2.30)	.32 (.01)
	741-T12CE	12-Channel Single-Function Timer (CE), 100-240V, 50-60 Hz, Worldwide Version	5.00 (2.30)	.32 (.01)
	741-T2CE	2-Channel Timer, Single Function (CE), 100-240V, 50-60 Hz, Worldwide Version	4.00 (1.81)	.48 (.01)
	741-T2HWCE	2- Channel Timer, Handwashing (CE), 100-240V, 50-60 Hz, Worldwide Version	4.00 (1.81)	.48 (.01)
	741-T8CE	8-Channel, Single Function Timer (CE), 100-240V, 50-60 Hz, Worldwide Version	5.00 (2.30)	.44 (.01)

*Note: All timers are equipped with a 6-ft. (182.9 cm) line cord.

*While quantities last

740/741 Series Multi-Display Timers (Each channel has its own display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	740-T44	4-Channel Multi-Display Single-Function Timer, 120V, North America Version.	5.00 (2.30)	.32 (.01)
	740-T88	8-Channel Multi-Display Single-Function Timer, 120V, North America Version.	6.00 (2.72)	.40 (.01)
	740-T88H	8-Channel Multi-Display Timer, Horizontal, 120V, North America Version.	6.00 (2.72)	.40 (.01)
	741-T44CE	4-Channel Timer, Slow Cook/Hold (CE), 100-240V, 50-60 Hz, Worldwide Version.	5.00 (2.30)	.44 (.01)
	741-T88CE	8-Channel Timer, Slow Cook/Hold (CE), 100-240V, 50-60 Hz, Worldwide Version.	5.00 (2.30)	.44 (.01)

Note: All timers are equipped with a 6-ft. (182.9 cm) line cord.

*While quantities last

755 Series Multi-Display Timers (Each channel has its own display)

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	755-HM16WAI	16 Channel Timer, (4X4) International Version, 100-240V, 50-60 Hz, North America / International Version	11.50 (5.22)	1.12 (.03)
	755-HM16	16 Channel Timer Horizontal Multi Display, 120V, N. America Version	11.50 (5.22)	1.12 (.03)

Note: All timers are equipped with a 6-ft. (182.9 cm) line cord.

*While quantities last

TOASTERS

Speed up your profits and maximize flexibility with a minimal footprint. **Double your toasting** output with precision to create a wide variety of fresh, **on-demand sandwiches** without compromising limited and valuable space.



CTDE TWO LANE
CONTACT TOASTER

CTD SINGLE LANE
CONTACT TOASTER

CTS SLIM-LINE
CONTACT TOASTER

	Model No.	Description	Buns/Hr	Electrical Requirements	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	CTDE-MAX	Dual Sides Contact Toaster, 208-240V, Two Lane, Metal Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, North America Ver.	Up to 2400	208-240V/ 60Hz/ 11.7-13.5A	NEMA L6-20P	75 (34.01)	2.33 (0.07)
	CTDE-MAX-CE	Dual Sides Contact Toaster, 220-240V, Two Lane, Metal Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, Worldwide Ver.	Up to 2400	220-240V/ 50-60Hz/ 12.4-13.5A	CEE 7-7	75 (34.01)	2.33 (0.07)
	CTDE-M-CE	Dual Sides Contact Toaster, 220-240V, Two Lane, Metal Belt, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, North America Ver.	Up to 2400	220-240V/ 50-60Hz/ 12.4-13.5A	CEE 7-7	75 (34.01)	2.33 (0.07)
	CTDE-SAX	Dual Sides Contact Toaster, 208-240V, Two Lane, Silicone Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, North America Ver.	Up to 2400	208-240V/ 60Hz/ 11.7-13.5A	NEMA L6-20P	75 (34.01)	2.33 (0.07)
	CTDE-SAX-CE	Dual Sides Contact Toaster, 220-240V, Two Lane, Silicone Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, Worldwide Ver.	Up to 2400	220-240V/ 50-60Hz/ 12.4-13.5A	CEE 7-7	75 (34.01)	2.33 (0.07)
	CTDE-S-CE	Dual Sides Contact Toaster, 220-240V, Two Lane, Silicone Belt, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, Worldwide Ver.	Up to 2400	220-240V/ 50-60Hz/ 12.4-13.5A	CEE 7-7	75 (34.01)	2.33 (0.07)
	CTDE-WAX	Dual Sides Contact Toaster, 208-240V, Two Lane, Wire Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, North America Ver.	Up to 2400	208-240V/ 60Hz/ 11.7-13.5A	NEMA L6-20P	75 (34.01)	2.33 (0.07)
	CTDE-WAX-CE	Dual Sides Contact Toaster, 220-240V, Two Lane, Wire Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, Worldwide Ver.	Up to 2400	220-240V/ 50-60Hz/ 12.4-13.5A	CEE 7-7	75 (34.01)	2.33 (0.07)
	CTD-SAX	Dual Sides Contact Toaster, 208-240V, Single Lane, Silicone Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, North America Ver.	Up to 1200	208-240V/ 60Hz/ 8.1-9.4A	NEMA L6-20P	56 (25.4)	1.6 (0.05)
	CTD-SAX-CE	Dual Sides Contact Toaster, 220-240V, Single Lane, Silicone Belt, Auxiliary Heater, Digital Control with Adjustable Toast Time (6-40 Sec) and Temperature, Worldwide Ver.	Up to 1200	220-240V/ 50-60Hz/ 8.6-9.4A	CEE 7-7	56 (25.4)	1.6 (0.05)
	CTS-W	Vertical Contact Toaster, 1 Wire Belt, Digital Control adjusts Conveyor speed from 9-40 Sec. Toast Time, North America Version	Up to 1200	115V/ 60Hz/ 15.5A	NEMA 5-15P	68 (30.8)	4.98 (.14)
	CTS-WCE	Vertical Contact Toaster, Wire Belt, Digital Control adjusts Conveyor speed from 9-40 Sec. Toast Time, Worldwide Version	Up to 1200	200-240V/ 50-60Hz/ 6.255A	CEE 7-7	68 (30.8)	4.98 (.14)
	CTS-WS	Vertical Contact Toaster, Silicone Belt, Digital Control adjusts Conveyor speed from 9-40 Sec. Toast Time, North America Vers.	Up to 1200	115V/ 60Hz/ 15.5A	NEMA 5-15P	68 (30.8)	4.98 (.14)



High-Performance Toasting







Prince Castle’s Contact Toasters are an ideal choice for achieving perfectly toasted buns for burgers and sandwiches. Engineered for speed, throughput and lasting reliability, our toasters elevate kitchen performance, even during peak demand.

Equipped with powerful motors and thick platens that maintain precise toasting temperatures, our contact toasters deliver superior caramelization for the ultimate customer experience. Advanced heating technology and adjustable compression settings offer the flexibility to toast a variety of bread types to exact specifications.

Contact Toaster - Slim Line

	Model No.	Description	Buns/Hr	Electrical Requirements	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	297-T9	9-Second Vertical Contact Toaster, Slim Line Bun, North American Version	2400	115V/60Hz/ 15.5A	NEMA 5-15P	82.00 (37.2)	7.50 (.21)
	297-T9FCE	9-Second Vertical Contact Toaster, Slim Line Bun, Worldwide Version	2400	230V/50-60Hz/ 7.5A	CEE 7-7	82.00 (37.2)	7.50 (.21)
	297-T9FGB	9-Second Vertical Contact Toaster, Slim Line Bun, United Kingdom Version	2400	230V/50-60Hz/ 7.5A	BS 1363A	82.00 (37.2)	7.50 (.21)
	297-T12P	12-Second Vertical Contact Toaster, North American Version	2400	115V/60Hz/ 15.5A	NEMA 5-15P	82.00 (37.2)	7.50 (.21)
	297-T12PFCE	12-Second Vertical Contact Toaster, Slim Line Bun, Worldwide Version	2400	230V/50-60Hz/ 7.5A	CEE 7-7	82.00 (37.2)	7.50 (.21)
	297-T20	20-Second Vertical Contact Toaster, North American Version	2400	230V/50-60Hz/ 7.5A	NEMA 5-15P	82.00 (37.2)	7.50 (.21)
	297-T20FCE	20-Second Vertical Contact Toaster, Worldwide Version	2400	115V/60Hz/ 15.5A	CEE 7-7	82.00 (37.2)	7.50 (.21)
	297-T20FGB	20-Second Vertical Contact Toaster, Slim Line Bun, United Kingdom Version	2400	230V/50-60Hz/ 7.5A	BS 1363A	82.00 (37.2)	7.50 (.21)

Toaster Accessories

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	196-12	Release Sheet for 297 Series Toaster (5 mil thick) (*2-pack)	.50 (.23)	.07 (.01)
	197-260	Release Sheet for 297 Series Toaster (3 mil thick) (*2-pack)	.50 (.23)	.07 (.01)
	197-605	Release Sheet for 297 Series Toaster (3 mil thick) (*6-pack)	.50 (.23)	.07 (.01)
	299-061S	Release Sheet for CTS Series Toaster (3 mil thick) (*1 pack)	.50 (.23)	.07 (.01)
	301-156S	Release Sheets for CTD Toaster (5 mil thick) (2-pack)	.50 (.23)	.07 (.01)
	302-069S	Release Sheets for CTDE Series Toaster (5 mil thick) (2-pack)	.50 (.23)	.07 (.01)
	299-063S	Silicone Belt for CTS Series Toaster (Qty 1)	1.0 (.45)	.07 (.01)
	301-137S	Silicone Belt for CTD Series Toaster (Qty 2)	.50 (.23)	.07 (.01)
	302-050S	Silicone Belt for CTDE Series Toaster (Qty 2)	1.0 (.45)	.07 (.01)
	511	Top Mount Bun Dresser for 297 Series Toaster	3.80 (1.72)	.46 (.01)
	511-140	Top Mount Bun Dresser for CTS Series Toaster, recommended for use with Wire and Silicone Belt models only	3.80 (1.72)	.46 (.01)
	511-141	Top Mount Bun Dresser for CTDE Series Toaster, recommended for use with Wire and Silicone Belt models only	3.80 (1.72)	.46 (.01)
	511-142	Top Mount Bun Dresser for CTD Series Toaster	3.80 (1.72)	.46 (.01)
	224-4	Bun Spatula	3.80 (1.72)	.46 (.01)
	224-5	Bun Tray	3.80 (1.72)	.46 (.01)
	353-895S	Replacement Liner, Butter Wheel CTS, CTD, CTDE (page 22)	0.7 (0.31)	0.35 (.01)

*Denotes number of pieces per single unit.







Double Your Food's Hold Times

Prince Castle hot holding bins simplify holding food safely and efficiently by maintaining ideal temperature and humidity. Patented multi-zone temperature controls* enable Prince Castle's Extended Holding Bins (EHBs) to double hold times without affecting quality. Designed to preserve batch-cooked fried and grilled items longer, the holding bins improve speed of service and reduce waste. Integrated MenuTrak timer bars allow operators to assign item locations, monitor hold times, and receive alerts to cook more or replace products, ensuring consistency and quality.




*Patent applies to Extended Holding Bins in the US that are 3 or 4 pans wide.

Hot Holding Bins



	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	DHB3PT-41A N. America Vers.	Dual-side 3-Shelf/12-Pan dedicated heated holding bin (with 6 x 1/3 sized pans, no covers & 6 x 1/2 sized pans, no covers)	208-240V	4320	L6-30P	160 (72.58)	15.28 (0.43)
	DHB3PT-41ACE Worldwide Vers.	Dual-side 3-Shelf/12-Pan dedicated heated holding bin (with 6 x 1/3 sized pans, no covers & 6 x 1/2 sized pans, no covers)	208-240V 50-60Hz	4320	CEE 7-7	160 (72.58)	15.28 (0.43)
	DHB-P1A N. America Vers.	Dual-side 2-Shelf/high cavity dedicated heated holding bin fits two full size sheet pans (pans not included, no timers)	208-240V 50-60Hz	2220	L6-15P	99 (44.91)	12.09 (0.34)
	DHB-P1ACE Worldwide Vers.	Dual-side 2-Shelf/high cavity dedicated heated holding bin fits two full-size sheet pans (pans not included, no timers)	208-240V 50-60Hz	2220	schuko	99 (44.91)	12.09 (0.34)
	DHB2PT-44D N. America Vers.	Dual-side 2-Shelf/open cavity dedicated heated holding bin fits 4 full size sheet pans (pans not included, no timers)*	208-240V 50-60Hz/ 25.7A	6164	N/A-Hard Wire	282 (127.92)	48.89 (1.38)
	DHB2PT-44DCE Worldwide Vers.	Dual-side 2-Shelf/open cavity dedicated heated holding bin fits 4 full size sheet pans (pans not included, no timers)*	208-240V	6164	N/A-Hard Wire	282 (127.92)	48.89 (1.38)
	DHB2PT-60PCE Worldwide Vers.	Dual-side 2-Shelf/open cavity dedicated heated holding bin fits 6 full size sheet pans (pans not included, no timers)	208-240V	6900	N/A-Hard Wire	320 (145.15)	50.11 (1.42)
	DHB2PT-60P N. America Vers.	Dual-side 2-Shelf/open cavity dedicated heated holding bin fits 6 full size sheet pans (pans not included, no timers)	208V 3Ph 60Hz/28A	6900	N/A-Hard Wire	320 (145.15)	50.11 (1.42)

*Lights no longer available.

Hot Holding Bins, continued

	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	EHB22F1-GMS02 N. America Vers.	Single-side 2-Shelf/4-Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	110-120V 60Hz	1100	NEMA 5-20P	64 (29)	5.66 (0.16)
	EHB22F2-GMS60 U.K./Eur. Vers.	Single-side 2-Shelf/4-Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	208-240V 50-60Hz	1050	schuko	64 (29)	5.66 (0.16)
	EHB22F2-GMS78 U.K./Mid. East Vers.	Single-side 2-Shelf/4-Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	208-240V 50-60Hz	1050	BS1363A	64 (29)	5.66 (0.16)
	EHB22R1-GMS02 N. America Vers.	Dual-side 2-Shelf/4 Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	110-120V 60Hz	1100	NEMA 5-20P	64 (29)	5.66 (0.16)
	EHB22R2-GMS60 U.K./Eur. Vers.	Dual-side 2-Shelf/4 Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	208-240V 50-60Hz	1050	schuko	64 (29)	5.66 (0.16)
	EHB22R2-GMS78 U.K./Mid. East Vers.	Dual-side 2-Shelf/4 Pan, extended holding bin (with 4 x 1/3 sized pans and 2 covers)	208-240V 50-60Hz	1050	BS1363A	64 (29)	5.66 (0.16)
	EHB23F2-GMS16 N. America Vers.	Single-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 60Hz	1970	NEMA 6-15P	74 (34)	7.13 (0.20)
	EHB23F2-GMS60 U.K./Eur. Vers.	Single-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 50-60Hz	1970	schuko	74 (34)	7.13 (0.20)
	EHB23F2-GMS78 U.K./Mid. East Vers.	Single-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 50-60Hz	1970	BS1363A	74 (34)	7.13 (0.20)
	EHB23R2-GMS16 N. America Vers.	Dual-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 60Hz	1970	NEMA 6-15P	74 (34)	7.13 (0.20)
	EHB23R2-GMS60 U.K./Eur. Vers.	Dual-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 50-60Hz	1970	schuko	74 (34)	7.13 (0.20)
	EHB23R2-GMS78 U.K./Mid. East Vers.	Dual-side 2-Shelf/6 Pan, extended holding bin (with 6 x 1/3 sized pans and 3 covers)	208-240V 50-60Hz	1970	BS1363A	74 (34)	7.13 (0.20)
	EHB24F2-GMS16 N. America Vers.	Single-side 2-Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 60Hz	2500	NEMA 6-15P	97 (34)	7.27 (0.21)
	EHB24F2-GMS60 U.K./Eur. Vers.	Single-side 2-Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2500	schuko	97 (34)	7.27 (0.21)


Hot Holding Bins, continued

	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	EHB24F2-GMS78 U.K./Mid. East Vers.	Single-side 2-Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2500	BS1363A	97 (34)	7.27 (0.21)
	EHB24R2-GMS16 N. America Vers.	Dual-side 2 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 60Hz	2500	NEMA 6-15P	97 (34)	7.27 (0.21)
	EHB24R2-GMS60 U.K./Eur. Vers.	Dual-side 2 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2500	schuko	97 (34)	7.27 (0.21)
	EHB24R2-GMS78 U.K./Mid. East Vers.	Dual-side 2 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2500	BS1363A	97 (34)	7.27 (0.21)
	EHB34F2-GMS17 N. America Vers.	Single-side 3 Shelf/12 Pan, extended holding bin (with 12 x 1/3 sized pans and 6 covers)	208-240V 60 Hz	3760	NEMA 6-20P	120 (54)	10.10 (0.28)
	EHB34F2-GMS50 Eur./Lat. America Vers.	Single-side 3 Shelf/12 Pan, extended holding bin (with 12 x 1/3 sized pans and 6 covers)	208-240V 50-60Hz	3760	IEC 60309 16A	120 (54)	10.10 (0.28)
	EHB34R2-GMS17 N. America Vers.	Dual-side 3 Shelf/12 Pan, extended holding bin (with 12 x 1/3 sized pans and 6 covers)	208-240V 60Hz	3760	NEMA 6-20P	120 (54)	10.10 (0.28)
	EHB34R2-GMS50 Eur./Lat. America Vers.	Dual-side 3 Shelf/12 Pan, extended holding bin (with 12 x 1/3 sized pans and 6 covers)	208-240V 50-60Hz	3760	IEC 60309 16A	120 (54)	10.10 (0.28)

Hot Holding Bins, continued

	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	EHB42F1-GMS02 N. America Vers.	Single-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	110-120V 60Hz	1680	NEMA 5-20P	92 (41.73)	8.84 (0.25)
	EHB42F2-GMS60 U.K./Eur. Vers.	Single-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2100	schuko	92 (41.73)	8.84 (0.25)
	EHB42F2-GMS78 U.K./Mid. East Vers.	Single-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60 Hz	2100	BS1363A	92 (41.73)	8.84 (0.25)
	EHB42R1-GMS02 N. America Vers..	Dual-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	110-120V 60Hz	1680	NEMA 5-20P	92 (41.73)	8.84 (0.25)
	EHB42R2-GMS60 U.K./Eur. Vers.	Dual-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers)	208-240V 50-60Hz	2100	schuko	92 (41.73)	8.84 (0.25)
	EHB42R2-GMS78 U.K./Mid. East Vers.	Dual-side 4 Shelf/8 Pan, extended holding bin (with 8 x 1/3 sized pans and 4 covers))	208-240V 50-60Hz	2100	BS1363A	92 (41.73)	8.84 (0.25)

Product Holding Bins

	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
	PHB33N1-GMS02	Single-Side 3-Shelf/9-Pan product holding bin (with 3 x 4" pans, 6 x 2.5" pans and 3 covers)	115V 60Hz	1920	5-20P	86 (39)	10.58 (0.30)







Flexible Holding for Evolving Kitchens









Prince Castle’s Modular Holding Bins offer unmatched flexibility for diverse menus and dynamic kitchen layouts. Individually heated cabinets, managed by a central base, can be expanded both horizontally and vertically, delivering power, communication, and consistent heat across the system.

As your business grows, the modular design adapts with you, ensuring safe, even, and reliable holding that keeps food at optimal serving temperatures and customers satisfied with every meal.

Modular Holding Bins

	Model No.	Description	Electrical Requirements	Watts	Plug Config.	Shipping Info	
						lb. (kg.)	cu.ft. (cu.m)
 EXPANSION BASE	MHB100EB	Expansion Base, Modular (includes top cover), North America Version	N/A	See Module	N/A	9.00 (4.08)	1.56 (.04)
	MHB100HM1	Pass Through Holding Module, Modular (includes one pan cover), North America Version	120V, 50-60Hz	180 each module	N/A	10.00 (4.54)	1.56 (.04)
	MHB100HM1-SS	Single Sided Holding Module (includes one slotted pan cover and one solid pan cover per module), North America Version	120V, 50-60Hz	180 each module	N/A	10.00 (4.54)	1.56 (.04)
 MAIN BASE	MHB100MB-NA	Main Base, Modular (includes top cover), North America Version	120V, 50-60Hz	See Watts per module	NEMA 5-15P	10.00 (4.54)	1.56 (.04)

Optional/Accessories for Hot Holding Bins

	Model No.	Description	Shipping Info	
			lb. (kg.)	cu.ft. (cu.m)
	155695N-12	Accessory, dual handle pans for Hot Holding Series Bins (*12-pack)	14.00 (6.40)	2.20 (.06)
	541-442s	Accessory, dual handle pan for Hot Holding Series Bins	1.16 (.53)	2.20 (.06) each
	541-1095S	Accessory, single handle pans for Hot Holding Bins (*12-pack)	11.5 (5.22)	1.39 (0.03)
	541-1095-1s	Accessory, single handle pan for Hot Holding Series Bin	1.16 (.53)	2.20 (.06) each
	541-723E4S	Accessory, covers for pass-thru MenuTrak DHBs (*4-pack)	2.90 (1.30)	.50 (.01)
	542-473S	KIT, Trivet 1/3 Size Metal (*4-pack)	2.50 (1.13)	.05 (.01)
	115-00242-16	KIT, Trivet 1/3 Size Metal (*16-pack)	8.8 (3.99)	0.13 (.01)
	540-1251S	Accessory Metal Holding Bin Lid Kit (*4-pack)	2.50 (1.13)	.20 (.01)
	850-146S	Grilled/Fried Modular Holding Bin Lid Kit (SS)	1.8 (0.82)	0.05 (.01)

*Denotes number of pieces per single unit.



CUSTOMER SERVICE

Sales & Customer Service hours: 8:00 a.m. to 5:00 p.m. CST, Monday thru Friday.

- Order Inquiry
- Item Inquiry
- Price Quotation
- Product Availability

Call us toll free at 1-800-PCASTLE (722-7853) or 1-630-462-8800, option 6, 8:00 a.m. - 5:00 p.m. CST, Monday thru Friday. Visit www.princecastle.com for sales representative listings and additional product information.

SERVICE AND PARTS

Technical Service and Parts Contact Information: 7:00 a.m. to 7:00 p.m. Service Hotline: toll free at 1-866-275-6392 or www.marmonlink.com.

PRINCE CASTLE'S Service and Part ORDERING CAPABILITIES:

- Orders taken 8:00 a.m. to 4:30 pm. CST, Monday thru Friday.
- Parts shipped domestically same day (order must be received same day (order must be received by 12:00 p.m. CST).

TERMS AND CONDITIONS

This product list is effective November 1, 2025 and supersedes all previous price lists. No international drop shipments allowed. No returns are accepted without prior written approval from the factory. Please contact Prince Castle for details. Restocking charges will apply if RMA approved. Unless otherwise noted, all electrical equipment is single phase. Prices, designs, and specifications are subject to change without notice.

SHIPPING PROCEDURES

Orders within the U.S. under 150 lb. (68 kg.) are shipped UPS/FedEx (small package carrier).

Orders within the U.S. over 150 lb. (68 kg.) are shipped common carrier FRT Class 85 or 100. Oversized shipments are shipped LTL common carrier.

© Marmon Foodservice Technologies, 2025. Specifications, Design and Prices are subject to change without notice. Date of publication: November 2025.